PROJECT TYPE:



ROUND TAPERED ALUMINUM POLE

RTA

Shaft

Spun tapered from 6063 alloy aluminum tubing. Heat treated to produce a T6 temper. Shaft is furnished with ground lugs located on cast aluminum base plate.

Drilling Side Mount

A removable pole cap is included. Pole will be drilled to match U.S. Architectural fixtures. For other Drilling required, please specify DP after specified drill pattern. (example: 2-180DP)

Pole Top Mount

Standard pole top mount - PT27, fabricated from 2.5" (2.875" O.D.) aluminum pipe - tenon options available for pole tops please see Mounting column. For other pole top configurations please consult factory.

Hand Hole Cover

Rectangular 3" x 5" stamped heavy gauge aluminum material Hand Hole Cover, 21/4" x 41/4" access opening. Sealed door is secured by a formed aluminum bar and a stainless steel, tamper proof screw.

Base Plate

Cast aluminum constructed of A-356 aluminum alloy heat treated to produce a T6 temper. Structurally engineered base includes eight heavy wall reinforcing vertical gussets. Base telescopes and is circumferentially welded to shaft at both the outside top and inside bottom of the base.

Anchorage


(4) anchor bolts fabricated from hot rolled steel bar. Minimum yield strength of 50,000 P.S.I. Bolts have "L" bend on one end and are threaded on the other. Bolts are fully galvanized and are furnished with two nuts and two washers.

Base Cover

Fabricated from heavy wall aluminum construction. Two piece cover conceals base.

Finish

Electrostatically applied TGIC Polyester Powder Coat on substrate prepared with 20 PSI power wash at 140°F. Four step media blast and iron phosphate pretreatment for protection and paint adhesion. 400°F bake for maximum hardness and durability.






Pole	Pole	Pole			
Model	Bottom	Тор	Height		
RTA	4" - 8"	3" - 4"	14' - 30'		

2023307



Round Tapered Aluminum Pole

DRILLING SIDE MOUNT



Sidewalk Side Hand Hole located on Sidewalk Side


Notes

- 1- Poles smaller than 5" Dia. at top, or Non Linear Drilling requires PT27 and T490 Adapter. (Adaptor is rotatable)
- 2- Poles smaller than 5" Dia. at top, or Non Linear Drilling requires PT27 and T3120 Adapter. (Adaptor is rotatable)

When drilling pattern from other manufacturer's fixture is required, add "DP" to drill specifications. (Example: 2-180DP) **Drilling template must be provided.**

In the case of other manufacturer's drilling pattern, customer must provide drilling pattern.

BOLT CIRCLE



	POLE									ANCHOR BO	ANCHOR PLATE				
Catalog	Height			Bottom - Top			mickness	nickness Weight	Bolt Size	Bolt Projection above grade ^{2,3}	Bolt Circle Dia Range ¹			Base Plate	Cover
Number	Ft	М	lr	า	C	m	(ln/Ga)			above grade		(Rec.)1			
RTA 1443-125	14	4.27	4.00	3.00	10.16	7.62	0.125	31	3/4" x 18" x 3"	31/4" - 33/4"	91/2" - 101/2"	10"	US10	3/4" x 10" x 10"	5" x 12" x 12"
RTA 1643-125	16	4.88	4.00	3.00	10.16	7.62	0.125	34	3/4" x 18" x 3"	3¼" - 3¾"	91/2" - 101/2"	10"	US10	3/4" x 10" x 10"	5" x 12" x 12"
RTA 1853-188	18	5.49	5.00	3.00	12.70	7.62	0.188	56	1" x 36" x 4"	4" - 41/2"	11½" - 12"	12"	US12	1" x 11" x 11"	5" x 12" x 12"
RTA 2064-188	20	6.10	6.00	4.00	15.24	10.16	0.188	81	1" x 36" x 4"	4" - 41/2"	12" - 13"	13"	US13	1" x 11½" x 11½"	5" x 12" x 12"
RTA 2574-188	25	7.62	7.00	4.00	17.78	10.16	0.188	106	1" x 36" x 4"	4" - 41/2"	11"-13"	13"	US13	1" x 11½" x 11½"	5" x 12" x 12"
RTA 3084-188	30	9.15	8.00	4.00	20.32	10.16	0.188	136	1" x 36" x 4"	4" - 41/2"	11½"-13½"	13"	US13	1" x 11½" x 11½"	5" x 12" x 12"

- 1 Not using correct bolt size or "(REC.) Recommended" Bolt Circle could result in Pole's failure.
- 2 Bolt Projection is calculated for slopes with 3 degrees or less.
 3 For slopes greater than 3 degrees, please add Bolt Length Projection as necessary.



Round Tapered Aluminum Pole

ORDERING INFORMATION

Spec/Order Example: RTA2064-188/1-90/RAL-6005-T

Pole Model Number					Mounting	Finish	Options			
1	Pole M	odel Nu	ımber		Mounting	Finish	Options			
	Pole Height	Pole Bottom	Pole Top	Wall Thickness	Tenon Mount	Standard Smooth Finish	☐ Vibration Dampener			
☐ RTA 1443-125	14'	4.00"	3.00"	0.125	2 ⁷ / ₈ " X 3" Tenon PT27	Black RAL-9005-S	VBDS-M2			
☐ RTA 1643-125	16'	4.00"	3.00"	0.125	(Standard)	☐ White	Receptacle			
☐ RTA 1853-188	18'	5.00"	3.00"	0.188	2 ³ / ₈ " X 3" Tenon PT23	RAL-9003-S	G.F.I. Receptacle w/ Cover			
☐ RTA 2064-188		6.00"	4.00"	0.188	27/8" X 6" Tenon	Grey RAL-7004-S	☐ G.F.I. Receptacle w/ In-Use Cover			
☐ RTA 2574-188	25'	7.00"	4.00"	0.188	PT276	☐ Dark Bronze	GFI-IU [Specify GFI location: Height and Direction] See Location Diagram below			
☐ RTA 3084-188	30'	8.00"	4.00"	0.188	Other Tenon Mt	RAL-8019-S	3 Way Adapter			
		Other heights Please cons			Drill Mount	Green RAL-6005-S	4 Way Adapter			
					□ 1-90	Premium Finishes	T490 Coupling			
				□ 2-180			☐ ½" Coupling ☐ ¾" Coupling CPLN12 CPLN34			
				□ 2-90 🗣	□ 2-90 🍨	Patina Copper	☐ 1¼" Coupling ☐ 1½" Coupling CPLN114 CPLN112			
			□ 3-90		□ 3-90	PC Custom	2" Coupling CPLN2			
					□ 4-90	Specify RAL#	[Specify Coupling location: Height and Direction] See Location Diagram below			
					□ 3-120	Anodized AZ	Nipple			
					3-120 requires PT27 and T3120 Adapter	For Textured Finish replace suffix "S" with suffix "T" Example: RAL-9005-T	½" Nipple			
					2-90, 3-90, 4-90 requires PT27 and T490 Adapter	See USALTG.COM for additional colors	☐ 1¼" Nipple ☐ 1½" Nipple NPLE114 NPLE112			
					When Drilling Pattern from other manufacturer is required, add "DP"		2" Nipple NPLE2			
					to drill specifications (Example: 2-180DP) Drilling template must be provided.		[Specify Coupling location: Height and Direction] See Location Diagram below			
							Location Diagram Please use this diagram to indicate placement location			
							90° Left (90° L) 90° Right (90° R)			

OPTIONS





GFI-IUDuplex GFI
w/ In-Use Cover







FRBC Flat Round Base Cover



RBC Round Base Cover



CPLN ½", ¾", 1¼', 1½", or 2" Coupling




NPLE ½", ¾", 1½", 1½", or 2" Nipple

Round Tapered Aluminum Pole



WIND MAP



EPA INFORMATION (ft²) (per AASHTO LRFDLTS-1 revised 2022)

Cat. No.	Weight Capacity Maximum (Lbs.)	100 MPH	110 MPH	115 MPH	120 MPH	130 MPH	140 MPH	150 MPH	160 MPH	170 MPH	180 MPH
RTA 1443-125	214 - 60*	6.1	4.6	4.0	3.5	2.6	1.9	1.3	1.0	0.8	0.7
RTA 1643-125	143.5 - 60*	4.1	3.1	2.6	2.2	2.5	0.9	0.7	0.4	0.0	0.0
RTA 1853-188	283.5 - 98*	8.1	7.1	6.7	6.2	5.7	4.8	4.2	3.7	3.2	2.8
RTA 2064-188	300 - 136.5*	14.0	12.4	11.1	10.1	8.5	7.2	6.0	5.3	4.6	3.9
RTA 2574-188	300 - 70*	14.3	11.7	10.8	9.9	8.2	7.1	5.0	3.7	2.5	2.0
RTA 3084-188	300 - 60*	13.4	10.9	9.7	8.8	7.3	6.3	5.5	5.0	3.1	1.3

EPA INFORMATION (ff²) (per 2020 FL Building Code)

Cat. No.	Weight Capacity Maximum (Lbs.)	120 MPH	130 MPH	140 MPH	150 MPH	160 MPH	170 MPH	180 MPH
RTA 1443-125	115.5 - 60*	3.3	2.4	1.8	1.2	0.9	0.7	0.6
RTA 1643-125	73.5 - 60*	2.1	1.4	0.8	0.7	0.4	0.0	0.0
RTA 1853-188	206.5 - 87.5*	5.9	5.0	4.5	3.8	3.5	2.9	2.5
RTA 2064-188	300 - 119*	9.4	7.7	6.7	5.4	4.8	4.1	3.4
RTA 2574-188	300 - 63*	9.2	7.7	6.8	4.4	3.5	2.2	1.8
RTA 3084-188	273 - 60*	7.8	6.7	5.9	5.2	4.5	2.7	1.2

^{*} Please use the following to obtain the proper weight capacity: The maximum fixture weight equals 60 lbs. or the product of 35 lbs. x the EPA value, whichever is greater, not to exceed 300 lbs. Example, EPA = 2.2, weight = 35 lbs. x 2.2 EPA = 77 lbs.

- Specifier is responsible for correct pole selection. For proper pole choice, the specifier must consider the total EPA of fixtures, banners, arms, and any other accessories attached to pole assembly.
- · U.S. Architectural discourages the attachment of unauthorized accessories; any such attachments will void the manufacturer's warranty.
- ALL EPAs are calculated for ground installations. For installations on bridges, buildings or other structures, the specifier must contact the factory or consult with a structural Engineer Unpredictable aerodynamic forces such as wind-induced vibrations are not included in wind velocity ratings or EPA ratings.
- Wind gust factors are considered in developing all EPA chart data.

To mitigate 2nd Mode (Aeolian) Vibration please read the following Recommendations:


- · We do not recommend the installation of poles without a fixture; such installations have been known to fail due to destructive 2nd mode pole vibration.
- · Pole installations with a combined (fixtures, banners, flags, etc.) of less than 0.75 ft2 EPA and 20 feet or taller will be provided with a vibration dampener.




ANCHOR BOLT TEMPLATES

For printable versions of Templates: click on the Template's name, otherwise go to https://usaltg.com/downloads/templates.html.


US8 8" Bolt Circle




US9 9" Bolt Circle




US10 10" Bolt Circle




US11 11" Bolt Circle




US12 12" Bolt Circle




US13 13" Bolt Circle



US14 14" Bolt Circle



US15 15" Bolt Circle



US16 16" Bolt Circle

